


NOTES:

- 1. DRYWELLS SHALL BE CONSTRUCTED WITH AN OVERFLOW SYSTEM CONNECTED TO A STORM DRAIN SYSTEM.
- THE DRYWELL WILL BE SIZED TO RECEIVE THE RAINFALL FROM ITS ENTIRE TRIBUTARY AREA FROM A 25 YEAR STORM FREQUENCY.
- 3. PERC. TESTS ARE REQUIRED AT LOCATIONS OF PROPOSED DRY WELLS, TO DETERMINE SOIL PERMEABILITY AND WATER TABLE ELEVETION.



GEOTEXTILE FABRIC TO BE WRAPPED AROUND ENTIRE DRY WELL

Н	STORAGE CAPACITY CU. FT.	VOLUME DRY WELL CU. FT.
6' - 0"	645	253
8' - 0"	821	338
10' - 0"	995	422

NOTES:

- CONC. MIN. STRENGTH-5000 P.S.I. AT 28 DAYS.
- STEEL REINF. ASTM-A-615-68 GRADE 60, 1" MIN. COVER.
- DESIGN LOADING-STANDARD UNITS: AASHTO-HS20-44.
- VOIDS IN STONE ASSUMED TO BE 0.3 OF TOTAL VOLUME OF STONE.



SCALE : NONE DRAWN BY: CHECKED BY: SMB APPROVED BY: DAP LAST REVISED: 4/29/2008



TOWN OF GLASTONBURY DEPARTMENT OF PHYSICAL SERVICES **ENGINEERING DIVISION**

PRECAST CONCRETE DRYWELL

PLATE NO. 23